

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	7	S3 AND display\$3 AND aggregat\$5	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:24
S5	19	S3 AND display\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:25
S3	35	S2 AND (((network OR communication) ADJ delay) OR jitter OR availability OR (packet ADJ loss) OR (CPU ADJ utilization) OR throughput)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:26
S6	16	S3 NOT (S4 OR S5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:29
S7	33	S2 NOT (S3 OR S4 OR S5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:30
S1	587	(SNMP OR probe OR agent) WITH performance WITH monitor\$4 SAME network	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:32
S12	1	S10 AND gerezgiher	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:32
S13	3	S11 AND gerezgiher	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:32

EAST Search History

S14	25	("20020012011" "5097469" "5546540" "5615323" "5719882" "5819028" "5886643" "5930476" "6003077" "6032183" "6061723" "6111561" "6115393" "6151023" "6253243" "6269398" "6269401" "6271845" "6339750" "6456306" "6501442" "6553416" "6625657" "6664987" "6704284").PN. OR ("7003564").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/25 12:40
S15	10814	((709/223,224) or (715/736)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/04/25 12:41
S9	25	S7 AND @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:42
S11	1419	(SNMP OR probe OR agent) SAME performance SAME monitor\$4 SAME network	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:42
S18	16	S17 AND @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/25 12:42
S19	6	("6363056" "6366563" "6445681").PN.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/10 16:24
S17	18	((SNMP OR probe OR agent) SAME performance SAME monitor\$4 SAME network) AND S16	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/10 16:29
S22	10	("20010051890" "20030014481" "20030055931" "5995916" "6006016" "6175934" "6199018" "6324659" "6654801" "6883120").PN. OR ("7080141").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/10 16:32

EAST Search History

S21	82	(identify\$5 OR determin\$4) (device OR node OR terminal OR client) support (probe OR SNMP OR agent) performance monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/10 16:41
S20	2	identify\$5 (device OR node OR terminal OR client) support (probe OR SNMP OR agent) performance monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/13 14:38
S23	107	(identify\$5 OR discover\$4 OR locat\$5 OR find\$4 OR determin\$4) (device OR node OR terminal OR client) (support OR enable\$3 OR config\$5) (probe OR SNMP OR agent) (performance OR remot\$4 OR collect\$5) monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/13 14:44
S24	100	S23 AND performance	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/13 14:47
S25	100	S23 AND performance AND monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/13 14:47
S26	93	S23 AND performance AND monitor\$4 AND exchang\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/13 14:48
S27	149	dynamical\$3 learn\$4 network (device OR node OR computer)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/13 14:49
S28	3	S27 SAME (rout\$5 NEAR2 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/13 14:51
S29	40	S27 AND (rout\$5 NEAR2 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/13 14:51

EAST Search History

S8	24745760	@ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/13 14:52
S31	414	(Simple ADJ Service ADJ Discovery ADJ Protocol) OR SSDP	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/13 14:54
S32	26	((Simple ADJ Service ADJ Discovery ADJ Protocol) OR SSDP) SAME capabl\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/13 15:03
S33	112	(discover OR determin\$4) (device OR node OR computer) support SNMP	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/13 15:13
S34	88	(discover OR determin\$4) (device OR node OR computer) support SNMP SAME (transmit\$4 OR communicat\$5 OR send\$3)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/13 15:13
S35	87	S34 AND @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/13 15:13
S2	68	S1 AND (BGP OR OSPF OR RIP)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/13 15:14
S38	18	(form\$4 OR creat\$3) community (rout\$4 NEAR2 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	SAME	ON	2007/08/13 15:17
S40	7	("5881246" "6252856" "6275492" "6418476").PN. OR ("6744739").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/13 15:22

EAST Search History

S39	12	S38 AND (BGP OR OSPF OR RIP)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/13 16:16
S41	191	performance NEAR3 community	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/13 16:16
S42	8	S41 SAME (agent OR probe)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/13 17:10
S47	12	((rout\$4 NEAR2 protocol) WITH (learn\$3 OR discover\$4) WITH (automatic\$4 OR dynamic\$5)) SAME (agent OR prob\$4)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:09
S48	68	((rout\$4 NEAR2 protocol) WITH (learn\$3 OR discover\$4) WITH (automatic\$4 OR dynamic\$5)) AND (agent OR prob\$4) AND monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:10
S49	56	((rout\$4 NEAR2 protocol) WITH (learn\$3 OR discover\$4) WITH (automatic\$4 OR dynamic\$5)) AND (agent OR prob\$4) AND monitor\$3 AND identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:10
S51	10	((rout\$4 NEAR2 protocol) WITH (learn\$3 OR discover\$4) WITH (automatic\$4 OR dynamic\$5)) AND (agent OR prob\$4) AND monitor\$3 AND identif\$4 AND (BGP OR OSPF OR IS\$1IS) AND (central\$4 WITH manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:11
S50	27	((rout\$4 NEAR2 protocol) WITH (learn\$3 OR discover\$4) WITH (automatic\$4 OR dynamic\$5)) AND (agent OR prob\$4) AND monitor\$3 AND identif\$4 AND (BGP OR OSPF OR IS\$1IS)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:15
S52	17	((rout\$4 NEAR2 protocol) WITH (learn\$3 OR discover\$4) WITH (automatic\$4 OR dynamic\$5)) AND (agent OR prob\$4) AND monitor\$3 AND identif\$4 AND (BGP OR OSPF OR IS\$1IS) NOT S51	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:26

EAST Search History

S16	318	S15 AND (BGP OR OSPF OR RIP)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:27
S54	8	(rout\$4 NEAR2 protocol) AND (BGP OR OSPF OR RIP OR IS\$1IS) AND S53	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:29
S55	3	(rout\$4 NEAR2 protocol) AND (BGP OR OSPF OR RIP OR IS\$1IS) AND S53 AND (performance WITH monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:30
S56	1	((rout\$4 NEAR2 protocol) AND (BGP OR OSPF OR RIP OR IS\$1IS) AND (performance WITH monitor\$3)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:31
S53	14	((("20040078772") or ("20040233859") or ("20030026212") or ("6115393") or ("5886643") or ("6269401") or ("6269398") or ("6271845") or ("7200122") or ("7069343") or ("6061723") or ("5878420") or ("7080141") or ("6744739"))). PN.	US-PGPUB; USPAT	OR	OFF	2007/08/14 14:39
S57	33	((rout\$4 NEAR2 protocol) AND (BGP OR OSPF OR RIP OR IS\$1IS) AND (performance WITH monitor\$3)).bsum.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:39
S58	9	S53 AND (agent OR probe)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:39
S59	4	S58 AND (rout\$4 NEAR2 protocol) AND (BGP OR OSPF OR RIP OR IS\$1IS)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:40
S46	125	(rout\$4 NEAR2 protocol) WITH (learn\$3 OR discover\$4) WITH (automatic\$4 OR dynamic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:42

EAST Search History

S60	3	(rout\$4 NEAR2 protocol) WITH (learn\$3 OR discover\$4) WITH (automatic\$4 OR dynamic\$5) SAME communit\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 14:42
S62	2	routing NEAR protocol NEAR2 (monitor\$3 OR collect\$4) WITH (performance OR character\$4)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 15:04
S61	1	routing NEAR protocol NEAR2 (monitor\$3 OR collect\$4) WITH (performance OR character\$4) WITH (network OR device)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 15:05
S63	61	routing NEAR protocol NEAR2 (monitor\$3 OR collect\$4) AND (performance OR character\$4) AND (network OR device)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 15:05
S64	43	routing NEAR protocol NEAR2 (monitor\$3 OR collect\$4) AND (performance OR character\$4) AND (network OR device) AND (prob\$4 OR agent)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 15:05
S30	13	S29 AND @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 15:06
S66	4	S64 AND @ad<"20030911" AND (send\$4 OR transmit\$4) NEAR2 (probe OR agent)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 16:18
S67	10	(routing ADJ protocol) performance monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/14 16:21
S68	75	(routing ADJ protocol) performance monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	SAME	ON	2007/08/14 16:21

EAST Search History

S70	22	S68 AND (OSPF OR RIP OR RGB OR IS\$1IS) AND discover\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	SAME	ON	2007/08/14 16:27
S72	347	(Support\$4 NEAR3 performance NEAR5 monitor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	SAME	ON	2007/08/14 16:41
S73	2	S72 SAME (router rout\$4 ADJ protocol RIP BGP OSPF IS\$1IS)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 16:44
S74	10	S72 AND (monitor\$4 detect\$4 analyz\$4 performance) NEAR5 (router rout\$4 ADJ protocol RIP BGP OSPF IS\$1IS)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 16:45
S71	59	(rout\$4 AND protocol AND monitor\$4).ti.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	SAME	ON	2007/08/14 16:59
S75	11	((rout\$4 ADJ protocol) AND monitor\$4 AND performance).ab.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	SAME	ON	2007/08/14 17:02
S76	144	((rout\$4 ADJ protocol) NEAR3 (monitor\$4 MEAR2 performance))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 17:04
S77	11	((rout\$4 ADJ protocol) NEAR3 (monitor\$4 MEAR2 performance)) SAME prob\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 17:13
S78	1	BGP AND (support ADJ performance ADJ monitoring)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 17:14

EAST Search History

S79	2	(BGP OR OSPF) AND (support ADJ performance ADJ monitoring)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 17:15
S80	2	(BGP OR OSPF) AND (support ADJ (performance OR character\$5 OR health OR remot\$) ADJ monitoring)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 17:16
S81	28	(BGP OR OSPF OR RIP) AND (support\$4 NEAr2 (performance OR character\$5 OR health OR remot\$) NEAR2 monitoring)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 17:16
S65	23	S64 AND @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 17:17
S82	19	S81 AND @ad<"20030911"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/14 17:17
S69	28	S68 AND (OSPF OR RIP OR RGB OR IS\$1IS)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	SAME	ON	2007/08/14 17:19
S83	14	scalable video algorithm	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	ADJ	ON	2007/08/14 17:59
S98	435	time\$1stamp WITH (prob\$4)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/15 17:40
S99	64	time\$1stamp WITH (prob\$4) WITH (send\$4 OR transmit\$4 OR receiv\$4) WITH time	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/15 17:42

EAST Search History

S100	1	time\$1stamp WITH (prob\$4) WITH (send\$4 OR transmit\$4 OR receive\$4) WITH time SAME monitor\$4 SAME performance	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/15 17:42
S101	4	((("6269401") or ("6363056")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/08/16 11:56
S103	2	S101 AND time\$1stamp AND prob\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/16 11:57
S104	2	S101 AND time\$1stamp AND probe	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/16 11:57
S105	2	S101 AND time\$1stamp AND probe AND statistic	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/16 11:57
S106	2	S101 AND time\$1stamp AND probe AND statistic AND (time WITH interval)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/16 11:57
S107	12	(theme (network WITH server) (client OR user)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/19 16:59
S109	127	real\$1time display\$4 (performance OR health) (network OR device)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/19 17:00
S110	18	S109 AND collect\$4 AND aggregat\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	WITH	ON	2007/08/19 18:15